# **EAST Search History**

| Ref<br># | Hits | Search Query                                      | DBs   | Default<br>Operator | Plurals | Time Stamp       |
|----------|------|---|---|---------------------|---------|------------------|
| L1       | 487  | header near data near file                        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2006/03/29 15:47 |
| L2       |      | header near data near file same firmware          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2006/03/29 15:46 |
| L3       | 9    | header near data near file same update            | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2006/03/29 15:46 |
| L4       | 5    | 3 not 2   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2006/03/29 15:46 |
| L5       | 9    | header near describe near data with file          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2006/03/29 15:47 |
| L6       | 26   | header near descri\$5 near data with file         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2006/03/29 15:52 |
| L7       | 79   | header near2 descri\$5 near2 data with file       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2006/03/29 15:54 |
| L8       | 34   | 717/168-173                                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2006/03/29 15:53 |
| L9       | 5302 | ((717/168-173) or (711/103) or (713/2,100)).CCLS. | US-PGPUB;<br>USPAT;<br>USOCR                            | OR                  | OFF     | 2006/03/29 15:53 |

# **EAST Search History**

|     |     | I   | 1   | T  |     | <del></del>      |
|-----|-----|---|---|----|-----|------------------|
| L10 | 2   | 7 and 9                                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/29 15:53 |
| L11 | 571 | header with descri\$5 with data with file | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2006/03/29 15:54 |
| L12 | 7   | 9 and 11                                  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2006/03/29 15:54 |
| L14 | 19  | ext\$1 near file adj system               | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/29 16:02 |
| L15 | 738 | (jpg jpeg) with header                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/29 16:02 |
| L16 | 42  | (jpg jpeg) with header with descri\$5     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/29 16:04 |
| L17 | 764 | format with header with descri\$5         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/29 16:04 |
| L18 | 1   | 9 and 17                                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/29 16:04 |

# **EAST Search History**

| L19 | 136  | format with header with descri\$5 with file | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/29 16:09 |
|-----|------|---|---|----|-----|------------------|
| L20 | 15   | file adj header with print adj job          | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/29 16:14 |
| L21 | 271  | postscript adj format                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/29 16:15 |
| L22 | . 11 | postscript adj header                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/29 16:15 |
| L23 | 13   | postscript near header                      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/29 16:31 |
| L24 | 0    | user adj exit adj language                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/29 16:31 |

# jdrutten@gmail.com | My Account | Sign out

Images Groups News Froogle Local more »

postscript header format

Search Advanced Search **Preferences** 

Results 1 - 10 of about 2,610,000 for postscript header format. (0.65 seconds)

### The EPS file format

Encapsulated PostScript (EPS) is a standard file format for importing and exporting ... EPSI is an all ASCII (no binary data or headers) version of EPS. ... www.prepressure.com/formats/eps/fileformat.htm - 14k - Cached - Similar pages

# Encapsulated PostScript - Wikipedia, the free encyclopedia

Both of these PC format EPS files have a particular disadvantage: because the PostScript data, header and preview are all in the same file, they will cause ... en.wikipedia.org/wiki/Encapsulated PostScript - 15k - Cached - Similar pages

# Graphics file format summary - Wikipedia, the free encyclopedia

/illustrator, vector, Adobe Illustrator Document, Vector format for Adobe Illustrator (originally a subset of PostScript, if an appropriate file header was ... en.wikipedia.org/wiki/Graphics file format - 30k - Cached - Similar pages

# [PDF] Encapsulated PostScript File Format Specification

File Format: PDF/Adobe Acrobat - View as HTML

The encapsulated PostScript file (EPSF) format is a standard format for ... in the header comments section of the file. See the PostScript Document ... partners.adobe.com/public/ developer/en/ps/5002.EPSF Spec.pdf - Similar pages

#### Mathematical Illustrations

This text is offered in PDF format, but also in PostScript. To read the PostScript files, ... The header pages are in German, but the rest in English. ... www.math.ubc.ca/~cass/graphics/manual/ - 32k - Cached - Similar pages

# The XCircuit PostScript Reference

XCircuit uses PostScript as its file format for input and output. ... The four header lines are PostScript comments. However, XCircuit parses them for these ... xcircuit.ece.jhu.edu/postscript.html - 26k - Cached - Similar pages

#### What is Encapsulated **PostScript**?

Encapsulated PostScript (EPS) is a standard format for importing and exporting PostScript ... The header defines where in the file each section (EPS, TIFF, ... www.postscript.org/FAQs/language/node80.html - 6k - Cached - Similar pages

## NetLingo: List of File Extensions

... Al Encapsulated PostScript header AIF Digital audio (Mac) AIFC Digital audio ... FOX FoxBase compiled program FM3 Format info for 1-2-3 Version 3 FP1 ... www.netlingo.com/more/fileextensions.cfm - 38k - Cached - Similar pages

## Large format posters by Alex Barnett

The Image Dictionary (PostScript LanguageLevel 2) allows a nice human-readable image header format which includes interpolated images, which I wanted. ... www.math.dartmouth.edu/~ahb/posters/ - 6k - Cached - Similar pages

## [PS] A&A manuscript no. (will be inserted by hand later) Your thesaurus ...

File Format: Adobe PostScript - View as HTML

(1988) introduced a generalized header format for extension "files" following ... The format of the binary table header is such that a given FITS reader can ... www.cv.nrao.edu/fits/documents/standards/bintable\_aa.ps - Similar pages